

Scientific Publications 2013

Listed below, in alphabetical order, are articles published in scientific, peer-reviewed journals in 2013 by St. Mary's researchers and staff (names have been bolded).

Andermann A, Wu A, Lashorer A, Norton P, Arora N, Bates D, Larizgoitia I on behalf of the Patient Safety Research Training and Education Expert Working Group of WHO Patient Safety. Case studies of patient safety research classics to build research capacity in low- and middle-income countries. *The Joint Commission Journal on Quality and Public Safety*, 39(12):553-560, 2013.

Beaulieu MD, **Haggerty J**, Tousignant P, Barnsley J, Hogg W, Geneau R, Hudon E, Duplain R, Denis JL, Bonin L, Del Grande C, Dragieva N. Characteristics of primary care practices associated with high quality care. *CMAJ*, 185(12):E590-E596, 2013.

Braehler C, Valiquette L, Holowka D, Malla AK, Jobber R, **Ciampi A**, Pawliuk N, King S. Childhood trauma and dissociation in first-episode psychosis, chronic schizophrenia and community controls. *Psychiatry Research*, 210:36-42, 2013.

Brisset C, Leanza Y, Rosenberg E, Vissandjée B, Kirmayer LJ, Muckle G, Xenocostas S, Laforce H. Language barriers in mental health care; a survey of primary care practitioners. *Journal of Immigrant and Minority Health*, (2013):1-9, Dec. 2013. DOI: 10.1007/s10903-013-9971-9.

Cole MG. Subsyndromal delirium in old age: Conceptual and methodological issues. *International Psychogeriatrics*, 25(6):863-866, 2013.

Cole MG, Ciampi A, Belzile E, Dubuc-Sarrasin M. Subsyndromal delirium in older people: A systematic review of frequency, risk factors, course and outcomes. *International Journal of Geriatric Psychiatry*, 28(8):771-780, 2013.

Cole M, McCusker J, Voyer P, Monette J, Champoux N, **Ciampi A**, Vu TTM, Belzile E. The course of subsyndromal delirium in older long-term care residents. *American Journal of Geriatric Psychiatry*, 21(3):289-296, 2013.

[PubMed with full text \(http://www.ncbi.nlm.nih.gov/pubmed/?term=The+course+of+subsyndromal+delirium+in+older+long-term+care+residents\)](http://www.ncbi.nlm.nih.gov/pubmed/?term=The+course+of+subsyndromal+delirium+in+older+long-term+care+residents)

Cole M, McCusker J, Voyer P, Monette J, Champoux N, **Ciampi A**, Vu M, **Dyachenko A, Belzile E**. Symptoms of delirium predict incident delirium in older long-term care residents. *International Psychogeriatrics*, 25(6): 887-894, 2013.

[PubMed with full text \(http://www.ncbi.nlm.nih.gov/pubmed/?term=Symptoms+of+delirium+predict+incident+delirium+in+older+long-term+care+residents\)](http://www.ncbi.nlm.nih.gov/pubmed/?term=Symptoms+of+delirium+predict+incident+delirium+in+older+long-term+care+residents)

Corbeil D, Beauvais L, **Pineault M**, Bérubé D. Prévenir les comportements agressifs de la clientèle : une approche intégrée. *Objectif Prévention*, 36 (2), May 2013.

Corbeil D, Beauvais L, **Pineault M**, Bérubé D. Prévenir les comportements agressifs de la clientèle : une approche intégrée. *Santé Québec*, Autumn 2013.

Cossette S, Vadeboncoeur A, Frasure-Smith N, **McCusker J**, Perreault D, Guertin MC. Randomized Controlled Trial of a Nursing Intervention to Reduce Emergency Department Revisits. *Canadian Journal of Emergency Medicine*, 15(0):1-8, 2013

Dylewski J. I read it in a journal. *Infectious Diseases in Clinical Practice*, 21:73, 2013.

Dylewski, J. The ones that got away. *Infectious Diseases in Clinical Practice*, 21:342-343, 2013.

Fleet R, Archambault P, Légaré F, Chauny JM, Lévesque JF, Ouimet M, Dupuis G, **Haggerty J**, Poitras J, Tanguay A, Simard-Racine G, Gauthier J. Portrait of rural emergency departments in Quebec and utilisation of the Quebec Emergency Department Management Guide: A study protocol. *BMJ Open*; 3(4):pii-e002961, April 2013.

Galanaud JP, Holcroft CA, Rodger MA, Kovacs MJ, Betancourt MT, Wells PS, Anderson DR, Chagnon I, Le Gal G, **Solymoss S**, Crowther MA, Perrier A, White RH, Vickars LM, Ramsay T, Kahn SR. Predictors of post-thrombotic syndrome in a population with a first deep vein thrombosis and no primary venous insufficiency. *Journal of Thrombosis and Haemostasis*, 11(3):474-480, 2013.

Gándara E, Kovacs JM, Kahn SR, Wells PS, Anderson DA, Chagnon I, Le Gal G, **Solymoss S**, Crowther M, White RS, Perrier A, Vickers L, Carrier M, Langlois N, Kovacs J, Little Ma J, Carson N, Ramsay T, Rodger MA. Non-OO blood type influences the risk of recurrent venous thromboembolism. A cohort study. *Thromb Haemost*; 110(6):1172-1179, Dec. 2013.

Gauthier K, Kovacs MJ, ... Wells PS, Kahn SR, Anderson DA, Chagnon I, **Solymoss S**, Crowther M, White RS, Perrier A, Vickers L, Carrier M, Sabris E. Family history of venous thromboembolism (VTE) as a predictor for recurrent VTE in unprovoked VTE patients. *Journal of Thrombosis and Haemostasis*, 11(1):200-203, 2013.

Haggerty JL, Lévesque JF, Hogg W, Wong S. The strength of primary care systems (Editorial). *BMJ*; 346:f3777, June 2013.

Haggerty JL, Roberge D, Freeman GK, **Beaulieu C**. Experienced continuity of care when patients see multiple clinicians: A qualitative metasummary. *Annals of Family Medicine*, 11(3):262-271, 2013.

Haiek LN. Response: Should the World Health Organization's Definition of Predominant Breastfeeding Include Fruit Juice? Letter to the editor. *Journal of Human Lactation*, 29(4):629, 2013.

Leanza Y, Boivin I, **Rosenberg E**. The Patient's Lifeworld: Building meaningful clinical encounters between patients, physicians and interpreters. *Communication and Medicine*, 10(1):13-25, 2013.

Lemelin L, Gallagher F, **Haggerty J**. Représentations sociales parentales du poids et des habitudes de vie des enfants âgés de 4-5 ans. *Recherche en soins infirmiers*, (3):58-71, Sept. 2013.

Lemelin L, Gallagher F, **Haggerty J**. Parents' social representation of preschool children's weight and lifestyle. *Recherche en soins infirmiers*, (114):58-71, Sept. 2013.

Lemelin L, **Haggerty J**, Gallagher F. Comparaison de trois systèmes de classification du poids de l'enfant d'âge préscolaire d'une région québécoise. *Santé Publique*, 25(5):571-578, Sept. 2013.

Loignon C, Hudon C, Boudreault-Fournier A, Supéré S, Macaulay AC, Pluye P, Gaboury I, **Haggerty JL**, Fortin M, Goulet E, Lambert M, Pelissier-Simard L, Boyer S, de Laat M, Lemire F, Champagne L, Lemieux M. Transforming primary healthcare by including the stakeholders involved in delivering care to people living in poverty: EQUihealthY study protocol. *BMC Health Services Research*, 13:92, 2013.

Longo C, Bartlett G, MacGibbon B, Mayo N, **Rosenberg E**, Nadeau L, et al. The effect of obesity on antibiotic treatment failure: a historical cohort study. *Pharmacoepidemiology and Drug Safety*, 22(9):970-976, Sept 2013.

Luo ZC, Nuyt AM, Delvin E, Fraser WD, Julien P, Audibert F, **Girard I**, Shatenstein B, Deal C, Grenier E, Garofalo C, Levy E. Maternal and fetal leptin, adiponectin levels and associations with fetal insulin sensitivity. *Obesity*, 21(1):210-216, 2013.

[PubMed abstract \(http://www.ncbi.nlm.nih.gov/pubmed/23505188\)](http://www.ncbi.nlm.nih.gov/pubmed/23505188)

McCusker J, Cole M, Voyer P, Vu TTM, Ciampi A, Monette J, Champoux N, **Belzile E**, **Dyachenko A**. Environmental factors predict the severity of delirium symptoms in long-term care residents. *Journal of the American Geriatric Society*, 61(4):502-511, April 2013.

[PubMed with full text \(http://www.ncbi.nlm.nih.gov/pubmed/?term=Environmental+factors+predict+the+severity+of+delirium+symptoms+in+long-term+care+residents\)](http://www.ncbi.nlm.nih.gov/pubmed/?term=Environmental+factors+predict+the+severity+of+delirium+symptoms+in+long-term+care+residents)

[PubMed with full text \(http://www.ncbi.nlm.nih.gov/pubmed/?term=Adjusted+Sequence+Kernel+Association+Test+for+rare+variants+controlling+for+cryptic+and+family+relatedness\)](http://www.ncbi.nlm.nih.gov/pubmed/?term=Adjusted+Sequence+Kernel+Association+Test+for+rare+variants+controlling+for+cryptic+and+family+relatedness)
McCusker J, Yaffe M, Sussman T, Kates N, Mulvale G, Jayabarathan A, **Law S, Haggerty J**. Developing an evaluation framework for consumer-centered collaborative care of depression using input from stakeholders. Canadian Journal of Psychiatry, 58(3):160-168, March 2013.

[PubMed abstract \(http://www.ncbi.nlm.nih.gov/pubmed/?term=Developing+an+evaluation+framework+for+consumer-centered+collaborative+care+of+depression+using+input+from+stakeholders\)](http://www.ncbi.nlm.nih.gov/pubmed/?term=Developing+an+evaluation+framework+for+consumer-centered+collaborative+care+of+depression+using+input+from+stakeholders)

McMullen T, **Yaffe MJ**, Beach S. Elder abuse and its prevention: Screening and detection. Elder Abuse and Its Prevention Workshop Summary, National Academies of Science, II:28-32, 2013.

Nyqvist KH, Håggkvist AP, Hansen MN, Kylberg E, Frandsen AL, Maastrup R, Ezeonodo A, Hannula L, **Haiek LN**, Baby-Friendly Hospital Initiative Expert Group. Expansion of the baby-friendly hospital initiative ten steps to successful breastfeeding into neonatal intensive care: expert group recommendations. Journal of Human Lactation, 29(3):300-309, Aug. 2013.

Nyqvist KH, Håggkvist AP, Hansen MN, Ezeonodo A, Hannula L, Maastrup R, **Haiek LN**. What is the purpose of the baby-friendly hospital initiative for neonatal wards? Commentary to a letter by Adkik Levin, Birth, 40(4):315-316, Dec. 2013.

Oualkacha K, Dastani Z, Li R, Cingolani PE, Spector TD, Hammond CJ, Richards JB, **Ciampi A**, Greenwood CMT. Adjusted Sequence Kernel Association Test for rare variants controlling for cryptic and family relatedness. Genetic Epidemiology, 37(4):366-376, 2013.

[PubMed with full text \(http://www.ncbi.nlm.nih.gov/pubmed/?term=Adjusted+Sequence+Kernel+Association+Test+for+rare+variants+controlling+for+cryptic+and+family+relatedness\)](http://www.ncbi.nlm.nih.gov/pubmed/?term=Adjusted+Sequence+Kernel+Association+Test+for+rare+variants+controlling+for+cryptic+and+family+relatedness)

Pineault M, Martin D, Cardinal L. Analysis of delays in the Adverse Event Reporting Process: A lean project in QRM. Internal Report. St. Mary's Hospital Center.

Roberge P, Doré I, Menear M, Chartrand É, **Ciampi A**, Duhoux A, Fournier L. A psychometric evaluation of the French Canadian version of the Hospital Anxiety and Depression Scale in a large primary care population. Journal of Affective Disorders, 147(1-3):171-179, 2013.

[PubMed with full text \(http://www.ncbi.nlm.nih.gov/pubmed/?term=A+psychometric+evaluation+of+the+French+Canadian+version+of+the+Hospital+Anxiety+and+Depression+Scale\)](http://www.ncbi.nlm.nih.gov/pubmed/?term=A+psychometric+evaluation+of+the+French+Canadian+version+of+the+Hospital+Anxiety+and+Depression+Scale)

Sewitch M, Jiang M, Grand R, **Yaffe MJ**, et al. Feasibility of a call-in centre to deliver colorectal cancer screening in primary care. Canadian Family Physician, 59(12):e550-e557, 2013.

Stang A, **McCusker J, Ciampi A**, Strumpf E. Emergency department conditions associated with the number of patients who leave a pediatric emergency department prior to physician assessment. Pediatric Emergency Care, 29(10):1082-1090, 2013.

Taylor L, Beard P, **Law S**. The Ebb and FLO of improving patient safety. Healthcare Papers, 13(1):42-47, 2013.

Yavich N, Báscolo EP, **Haggerty J**. Evaluation of the child component of the Buenos Aires Public Health Insurance. Salud Publica Mex, 55(1):26-34, Jan-Feb. 2013. Spanish.

